AMENDMENTS

CLAIMS

1. (currently amended): A method in a data processing system, the method comprising the steps of:

receiving a request to generate a data model from a data definition file containing a data structure with a plurality of data elements, each data element having a name and a definition;

automatically generating a diagram for each data element, the diagrams having names corresponding to the data elements;

automatically determining whether an attribute in the data structure is associated with one of the data elements;

when it is determined that an attribute in the data structure is associated with one of the data elements.

automatically displaying a graphical representation of the attribute with the diagram corresponding to the one data element;

automatically determining whether the data structure includes a reference between two of the data elements;

when it is determined that the data structure includes a reference between two elements,

automatically displaying a reference link from the diagram associated with a first of the two elements to the diagram associated with a second of the two elements;

automatically determining whether the data structure includes a group attribute identifying at least one of the data elements as group attribute member:

when it is determined that the data structure includes a group attribute,

automatically displaying a group symbol;

automatically displaying a first link between the group symbol and the diagram that is associated with the identified at least one data element; and

automatically displaying a second link between the group symbol and the diagram of the data element having the associated group attribute.

- 2. (original): The method of claim 1, wherein the data model is an XML structure diagram.
- 3. (original): The method of claim 1, wherein the data definition file is a Document Type Definition file.
- 4. (original): The method of claim 1, wherein the data definition file is an XML schema file.

- 5. (currently amended): The method of claim 1, wherein the step of <u>automatically</u> determining whether the data structure includes a reference between two of the data elements comprises the step of <u>automatically</u> determining whether the name of the second element is within the definition of the first data element.
- 6. (currently amended): The method of claim 1, wherein the step of <u>automatically</u> displaying the second link further comprises the step of <u>automatically</u> determining whether the data element has the associated group attribute.
- 7. (currently amended): The method of claim 6, wherein the step of <u>automatically</u> determining whether the data element has the associated group attribute comprises the step of <u>automatically</u> determining whether the group attribute is within the definition of the data element.
- 8. (currently amended): The method of claim 1, further comprising the step of automatically storing information used to generate the data model in a graphical view file.
- 9. (currently amended): A method in a data processing system comprising the steps of:

receiving an identification of a data definition file having a plurality of data elements and a plurality of relationships between the data elements, each data element having a name and a definition; and

automatically generating a graphical representation that visually identifies the plurality of data elements and the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of relationships between the data elements are the plurality of the plurality of relationships between the data elements are the plurality of the

- 10. (original): The method of claim 9, wherein the graphical representation corresponds to an XML structure diagram.
- 11. (original): The method of claim 9, wherein the data definition file corresponds to a Document Type Definition file.
- 12. (currently amended): The method of claim 9, wherein the step of <u>automatically</u> generating a graphical representation comprises the step of <u>automatically</u> generating a diagram for each data element, the diagrams having names corresponding to the data elements.
- 13. (currently amended): The method of claim 12, wherein the step of <u>automatically</u> generating a graphical representation further comprises the steps of:

automatically determining whether the data structure contains an attribute for one of the data elements; and

when it is determined that the data structure contains an attribute for one of the data elements,

automatically displaying a graphical representation of the attribute with the diagram corresponding to the one data element.

14. (currently amended): The method of claim 12, wherein the step of automatically generating a graphical representation further comprises the steps of:

automatically identifying a first of the relationships as an element reference between two of the data elements; and

automatically displaying a reference link from the diagram associated with a first of the two elements to the diagram associated with a second of the two elements.

- 15. (currently amended): The method of claim 14, wherein the step of <u>automatically</u> identifying a first of the relationships comprises the step of <u>automatically</u> determining whether the name of the second element is within the definition of the first data element.
- 16. (currently amended): The method of claim 12, wherein the step of automatically generating a graphical representation further comprises the steps of:

automatically identifying a second of the relationships as a group reference between two of the data elements;

automatically displaying a group symbol; displaying a first link between the group symbol and the diagram that is associated with a first of the two elements; and

automatically displaying a second link between the group symbol and the diagram that is associate with a second of the two elements.

17. (currently amended): The method of claim 16, wherein the step of automatically identifying a second of the relationships comprises the steps of:

- T . 11

automatically determining whether the data structure includes a group attribute identifying the first data element as a group attribute member; and

automatically determining whether the definition of the second data element contains the group attribute.

- 18. (currently amended): The method of claim 9, further comprising the step of storing information used to <u>automatically</u> generate the data model in a graphical view file.
- 19. (currently amended) A method in a data processing system, the method comprising the steps of:

receiving a request to generate a data definition file from a graphical representation having a plurality of data element diagrams, each data element diagram having a name;

automatically adding a data element identifier in the data definition file for each data element diagram in the graphical representation;

<u>automatically</u> adding the name of each data element diagram to the corresponding data element identifier;

automatically determining whether an attribute is associated with one of the data element diagrams;

when it is determined that an attribute is associated with one of the data element diagrams,

automatically adding the attribute to the data element identifier for the one data element diagram;

-12.

a itomatically determining whether the graphical representation has a reference link particular between two of the data element diagrams;

when it is determined that the graphical representation has a reference link between two data element diagrams,

automatically adding a reference to the data element identifier corresponding
to one of the two data element diagrams to reflect a link between the two data element
diagrams;

automatically determining whether the graphical representation has a group symbol;

when it is determined that the graphical representation has a group symbol,

automatically determining whether the group symbol is a destination in a first link with a first of the data element diagrams;

when it is determined that the group symbol is a destination in a first link with a first of the data element diagrams,

automatically adding a group definition to the data definition file that includes the name of the first data element diagram;

automatically determining whether the group symbol is a source in a second link with a second of the data element diagrams; and

when it is determined that the group symbol is a source in a second link with a second of the data element diagrams,

UK HERRITE

automatically adding to the data element identifier corresponding to the second element diagram a reference corresponding to the group definition.

- 2.0. (original): The method of claim 19, wherein the graphical representation corresponds to an XML structure diagram.
- 2:1. (original): The method of claim 19, wherein the data definition file corresponds to a Document Type Definition file.
- 2.2. (original): The method of claim 19, wherein the data definition file corresponds to an XML schema file.
- 2.3. (currently amended): The method of claim 19, wherein the step of <u>automatically</u> adding a reference to the data element identifier comprises the steps of:

automatically identifying one of two data element diagrams as a source of the reference link and the other as a destination of the reference link; and

automatically adding the name of the destination to the data element identifier corresponding to the source.

24. (currently amended): A method in a data processing system comprising the steps of:

THE PROPERTY.

automatically receiving an indication to generate a data definition file from a graphical representation having a plurality of data element diagrams and a plurality of relationships between the data element diagrams, each data element diagram having a name; and

automatically adding a plurality of data element identifiers to the data definition file that reflect the data element diagrams and the relationships between the data element diagrams.

- 25. (original): The method of claim 24, wherein the graphical representation corresponds to an XML structure diagram.
- 26. (original): The method of claim 24, wherein the data definition file corresponds to a Document Type Definition file.
- 27. (currently amended): The method of claim 24, wherein the step of <u>automatically</u> adding the plurality of data element identifiers to the data definition file comprises the step of <u>automatically</u> adding the name of each data element diagram to the corresponding data element identifier.
- 28. (currently amended): The method of claim 24, wherein the step of <u>automatically</u> adding the plurality of data element identifiers to the data definition file comprises the steps of:

automatically determining whether an attribute is associated with one of the data element diagrams;

when it is determined that an attribute is associated with one of the data element diagrams, and

<u>automatically</u> adding the attribute to the data element identifier for the one data element diagram.

2:9. (currently amended): The method of claim 24, wherein the step of automatically adding the plurality of data element identifiers to the data definition file comprises the steps of:

<u>sutomatically</u> determining whether one of the relationships corresponds to a reference link between two of the data element diagrams; and

when it is determined that one of the relationships corresponds to a reference link between two data element diagrams,

intomatically adding a reference to the data element identifier corresponding to one of the two data element diagrams to reflect the reference link between the two data element diagrams.

30. (currently amended): The method of claim 24, wherein the step of <u>automatically</u> adding the plurality of data element identifiers to the data definition file comprises the steps of:

group symbol;

when it is determined that the other of the relationships is associated with a group-hands

automatically determining whether the group symbol is a destination in a first link with a first of the data element diagrams; and

when it is determined that the group symbol is a destination in a first link with a first of the data element diagrams,

automatically adding a group definition to the data definition file that includes the name of the first data element diagram.

31. (currently amended): The method of claim 30, further comprising the steps of:
when it is determined that the group symbol is a destination in a first link with
a first of the data element diagrams,

automatically determining whether the group symbol is a source in a second link with a second of the data element diagrams; and

when it is determined that the group symbol is a source in a second link with a second of the data element diagrams,

automatically adding to the data element identifier corresponding to the second element diagram a reference corresponding to the group definition.

32. (currently amended): A computer-readable medium containing instructions for controlling a data processing system to perform a method, the method comprising the steps of:

OF A

automatically receiving a request to generate a data model from a data definition file requirements and a definition;

automatically generating a diagram for each data element, the diagrams having names corresponding to the data elements;

intomatically determining whether an attribute in the data structure is associated with one of the data elements;

when it is determined that an attribute in the data structure is associated with one of the data elements,

<u>automatically</u> displaying a graphical representation of the attribute with the diagram corresponding to the one data element;

automatically determining whether the data structure includes a reference between two of the data elements;

when it is determined that the data structure includes a reference between two elements.

automatically displaying a reference link from the diagram associated with a first of the two elements to the diagram associated with a second of the two elements;

automatically determining whether the data structure includes a group attribute identifying at least one of the data elements as group attribute member;

when it is determined that the data structure includes a group attribute,

automatically displaying a group symbol;

automatically displaying a first link between the group symbol and the diagram that is associated with the identified at least one data element; and

automatically displaying a second link between the group symbol and group attribute.

- 33. (original): The computer-readable medium of claim 32, wherein the data model is an XML structure diagram.
- 34. (original): The computer-readable medium of claim 32, wherein the data definition file is a Document Type Definition file.
- 35. (original): The computer-readable medium of claim 32, wherein the data definition file is an XML schema file.
- 36. (currently amended): The computer-readable medium of claim 32, wherein the step of <u>automatically</u> determining whether the data structure includes a reference between two of the data elements comprises the step of <u>automatically</u> determining whether the name of the second element is within the definition of the first data element.
- 37. (currently amended): The computer-readable medium of claim 32, wherein the step of <u>automatically</u> displaying the second link further comprises the step of <u>automatically</u> determining whether the data element has the associated group attribute.
- 18. (currently amended): The computer-readable medium of claim 37, wherein the step of <u>automatically</u> determining whether the data element has the associated group attribute

comprises the step of <u>automatically</u> determining whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the cally determined whether the group attribute is within the call determined whether the g

- 39. (currently amended): The computer-readable medium of claim 32, wherein the method further comprises the step of <u>automatically</u> storing information used to generate the data model in a graphical view file.
- 20. (currently amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method, the method comprising the steps of:

receiving an identification of a data definition file having a plurality of data elements and a plurality of relationships between the data elements, each data element having a name and a definition; and

<u>suntomatically</u> generating a graphical representation that visually identifies the plurality of data elements and the plurality of relationships between the data elements contained within the data definition file.

- 41. (original): The computer-readable medium of claim 40, wherein the graphical representation corresponds to an XML structure diagram.
- 42. (original): The computer-readable medium of claim 40, wherein the data definition file corresponds to a Document Type Definition file.

- 43. (currently amended): The computer-readable medium of claim 40, wherein the accomputation of automatically generating a graphical representation comprises the step of automatically generating a diagram for each data element, the diagrams having names corresponding to the data elements.
- 44. (currently amended): The computer-readable medium of claim 43, wherein the step of <u>automatically</u> generating a graphical representation further comprises the steps of:

automatically determining whether the data structure contains an attribute for one of the data elements; and

when it is determined that the data structure contains an attribute for one of the data elements,

automatically displaying a graphical representation of the attribute with the cliagram corresponding to the one data element.

45. (currently amended): The computer-readable medium of claim 43, wherein the step of <u>sutomatically</u> generating a graphical representation further comprises the steps of:

<u>suntomatically</u> identifying a first of the relationships as an element reference between two of the data elements; and

automatically displaying a reference link from the diagram associated with a first of the two elements to the diagram associated with a second of the two elements.

46. (currently amended): The computer-readable medium of claim 45, wherein the step of automatically identifying a first of the relationships comprises the step of

automatically determining whether the name of the second element is within the definition of the second element is within the definition of the second element.

47. (currently amended): The computer-readable medium of claim 43, wherein the step of <u>automatically</u> generating a graphical representation further comprises the steps of:

automatically identifying a second of the relationships as a group reference between two of the data elements;

zutomatically displaying a group symbol;

<u>sutomatically</u> displaying a first link between the group symbol and the diagram that is associated with a first of the two elements; and

<u>sutomatically</u> displaying a second link between the group symbol and the diagram that is associate with a second of the two elements.

48. (currently amended): The computer-readable medium of claim 47, wherein the step of <u>sutomatically</u> identifying a second of the relationships comprises the steps of:

<u>intermediate</u> determining whether the data structure includes a group attribute identifying the first data element as a group attribute member; and

<u>automatically</u> determining whether the definition of the second data element contains the group attribute.

19. (currently amended): The computer-readable medium of claim 40, wherein the method further comprises the step of <u>automatically</u> storing information used to generate the data model in a graphical view file.

i (4:

50. (currently amended): A computer-readable medium containing instructions for controlling a data processing system to perform a method, the method comprising the steps of:

receiving a request to generate a data definition file from a graphical representation having a plurality of data element diagrams, each data element diagram having a name;

<u>sutomatically</u> adding a data element identifier in the data definition file for each data element diagram in the graphical representation;

<u>sutomatically</u> adding the name of each data element diagram to the corresponding data element identifier;

<u>suntomatically</u> determining whether an attribute is associated with one of the data element diagrams;

when it is determined that an attribute is associated with one of the data element diagrams,

automatically adding the attribute to the data element identifier for the one data element diagram;

automatically determining whether the graphical representation has a reference link between two of the data element diagrams;

when it is determined that the graphical representation has a reference link between two data element diagrams,

automatically adding a reference to the data element identifier corresponding to one of the two data element diagrams to reflect a link between the two data element diagrams;

automatically determining whether the graphical representation has a group symbol;

when it is determined that the graphical representation has a group symbol,

automatically determining whether the group symbol is a destination in a first link with a first of the data element diagrams; when it is determined that the group symbol is a destination in a first link with a first of the data element diagrams,

automatically adding a group definition to the data definition file that includes the name of the first data element diagram;

automatically determining whether the group symbol is a source in a second link with a second of the data element diagrams; and

when it is determined that the group symbol is a source in a second link with a second of the data element diagrams,

automatically adding to the data element diagram identifier corresponding to the second element diagram a reference corresponding to the group definition.

51. (original): The computer-readable medium of claim 50, wherein the graphical representation corresponds to an XML structure diagram.

手には動物は

- definition file corresponds to a Document Type Definition file.
- 53. (original): The computer-readable medium of claim 50, wherein the data definition file corresponds to an XML schema file.
- 54. (currently amended): The computer-readable medium of claim 50, wherein the step of adding a reference to the data element identifier comprises the steps of:

<u>sutomatically</u> identifying one of two data element diagrams as a source of the reference link and the other as a destination of the reference link; and

<u>sutomatically</u> adding the name of the destination to the data element identifier corresponding to the source.

55. (currently amended): A computer-readable medium containing instructions for controlling a data processing system to perform a method, the method comprising the steps of:

graphical representation having a plurality of data element diagrams and a plurality of relationships between the data element diagrams, each data element diagram having a name; and

intomatically adding a plurality of data element identifiers to the data definition file that reflect the data element diagrams and the relationships between the data element diagrams.

- 56. (original): The computer-readable medium of claim 55, wherein the graphical representation corresponds to an XML structure diagram.
- 57. (original): The computer-readable medium of claim 55, wherein the data definition file corresponds to a Document Type Definition file.
- 58. (currently amended): The computer-readable medium of claim 55, wherein the step of <u>automatically</u> adding the plurality of data element identifiers to the data definition file comprises the step of <u>automatically</u> adding the name of each data element diagram to the corresponding data element identifier.
- 59. (currently amended): The computer-readable medium of claim 55, wherein the step of <u>automatically</u> adding the plurality of data element identifiers to the data definition file comprises the steps of:

<u>sutomatically</u> determining whether an attribute is associated with one of the data element diagrams; and

when it is determined that an attribute is associated with one of the data element diagrams,

automatically adding the attribute to the data element identifier for the one clata element diagram.

60. (currently amended): The computer-readable medium of claim 55, wherein the step of <u>automatically</u> adding the plurality of data element identifiers to the data definition file.

<u>sutomatically</u> determining whether one of the relationships corresponds to a reference link between two of the data element diagrams; and

when it is determined that one of the relationships corresponds to a reference link between two data element diagrams,

automatically adding a reference to the data element identifier corresponding to one of the two data element diagrams to reflect the reference link between the two data element diagrams.

61. (currently amended): The computer-readable medium of claim 55, wherein the step of <u>automatically</u> adding the plurality of data element identifiers to the data definition file comprises the steps of:

<u>intomatically</u> determining whether another of the relationships is associated with a group symbol;

when it is determined that the other of the relationships is associated with a group symbol,

automatically determining whether the group symbol is a destination in a first link with a first of the data element diagrams; and

when it is determined that the group symbol is a destination in a first link with a first of the data element diagrams,

the name of the first data element diagram.

62. (currently amended): The computer-readable medium of claim 61, wherein the method further comprises the steps of:

when it is determined that the group symbol is a destination in a first link with a first of the data element diagrams,

automatically determining whether the group symbol is a source in a second link with a second of the data element diagrams; and

when it is determined that the group symbol is a source in a second link with a second of the data element diagrams,

automatically adding to the data element identifier corresponding to the second element diagram a reference corresponding to the group definition.

- (i3. (currently amended): A data processing system comprising:
- a secondary storage device comprising a first data definition file having first data elements and relationships between the first data elements;
 - automatically display a first graphical representation of the first data definition file such that the first graphical representation has first data element diagrams and relationships between the first data element diagrams reflecting the first data elements and the relationships between the first data elements contained in the first data definition file, that displays the first graphical representation

responsive to receiving the first request, that displays a second graphical representation having second data element diagrams and relationships between the second data element diagrams, that receives a second request to generate a second data definition file from the second graphical representation such that the second data definition file has second data elements and relationships between the second data elements reflecting the second data element diagrams and the relationships between the second data element diagrams of the second graphical representation, and that automatically generates the second data definition file responsive to receiving the second request; and

¿ processor for running the program.

- (i4. (original): The data processing system of claim 63, wherein the first data definition file corresponds to a Document Type Definition file.
- 65. (original): The data processing system of claim 63, wherein the second data definition file corresponds to a Document Type Definition file.
- of original): The data processing system of claim 63, wherein the program further stores the second graphical representation in a second graphical view file on the secondary storage device.

- 67. (original): The data processing system of claim 63, wherein the program further stores the second data definition file on the secondary storage device.
- (8. (original): The data processing system of claim 63, wherein the secondary storage device further comprises an XML data structure module that includes XML constructs corresponding to a Document Type Definition specification.
- (i9. (original): The data processing system of claim 68, wherein the program uses the XML constructs to add the plurality of data element identifiers to the first data definition file and to parse the plurality of data elements contained in the second data definition file.
 - 70. (currently amended): A system comprising:

lineans for receiving an identification of a data definition file having a plurality of data elements and a plurality of relationships between the data elements, each data element having a name and a definition; and

means for <u>automatically</u> generating a graphical representation that visually identifies the plurality of data elements and the plurality of relationships between the data elements contained within the data definition file.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

| ☐ BLACK BORDERS |
|---|
| ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES |
| ☐ FADED TEXT OR DRAWING |
| ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING |
| ☐ SKEWED/SLANTED IMAGES |
| ☐ COLOR ØR BLACK AND WHITE PHOTOGRAPHS |
| ☐ GRAY SCALE DOCUMENTS |
| LINES OR MARKS ON ORIGINAL DOCUMENT |
| ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY |
| |

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.